

JAWAHAR SHETKARI SAHAKARI SAKHAR KARKHANA LTD., HUPARI

Shri Kallappanna Awadenagar, Hupari-Yalgud 416 203, Tal.: Hatkanangale, Dist.: Kolhapur (Maharashtra)
Phone (0230) 2450402 (5 Lines), Fax (0230) 2450401, E-mail : kprjsssk@gmail.com

Ref. No MFG/ETP/1349 / 2019-20

Date: 19 /05/2020

To,

The Deputy Director General of Forest (Central),
West Central Zone, Regional Office (MoEFCC),
New Secretariat Building,
Opp.VCA Ground,
Civil Lines,
Nagpur – 440 001.

Sub : Submission of Six Monthly Compliance report for period October 2019 to March 2020. w.r.t Sugar Factory of 12000 TCD – M/s. **Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., Hupari**, Located At- Shri Kallappanna Awadenagar, Hupari-Yalgud, Tal.: Hatkanangale, Dist.: Kolhapur, Maharashtra.

Ref: Environmental Clearance (EC) Letter F. No. J-11011/38/2016-IA-II (I) dated 20th December, 2016.

Dear Sir,

This has reference to Environmental Clearance (EC) granted to our Sugar Factory of 12000 TCD – M/s. **Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., Hupari**, Located at Shri Kallappanna Awadenagar, Hupari-Yalgud, Tal.: Hatkanangale, Dist.: Kolhapur (Maharashtra State).

As per General Condition No. 14 in Environmental Clearance letter, we are submitting a Six Monthly Compliance report for a period of October 2019 to March 2020.

We hope the details furnished by us are in accordance with your requirements.

Thanking you,

Yours faithfully,
For Jawahar S.S.S.K. Ltd., Hupari



(M.G. Joshi)
Managing Director

Encl.: a/a

Copy for information to:-

1. Zonal Officer,
Central Pollution Control Board,
Parivesh Bhavan,
Opp.Ward No.10, VMC Office,
Subhanpura,
Vadodara (Gujarat)-390 023.
2. Member Secretary,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd & 4th Floor,
Opp.Cine Planet,
Near Sion Circle, Sion (E),
Mumbai (Maharashtra)- 400 022.
3. Regional Officer,
Maharashtra Pollution Control Board,
Udyog Bhavan Building,
Naer Collector Office,
Kolhapur- 416 002.

Enclosure – I
EC Letter



F. No. J-11011/38/2016-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jorbagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th December, 2016

To

The Chief Executive Officer
M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.
Shri Kallappa Anna Awadenagar, Hupari-Yalgud
Hatkanangale, Kolhapur District
Maharashtra- 416 203

Sub: Expansion of Sugar unit capacity from 7500 TCD to 12000 TCD at Hupari Yalgud, Tehsil Hathkanangale, District Kolhapur, Maharashtra by M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd. –Environmental Clearance– reg.

Ref: Online Proposal No. IA/MH/IND2/38479/2014 dated 06th January, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/38479/2014 dated 06th January, 2016 along with project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report along with Public Hearing Report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is for expansion of sugar unit capacity from 7500 TCD to 12000 TCD at Hupari Yalgud, Tehsil Hathkanangale, District Kolhapur, Maharashtra by M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd. As informed by the Project Proponent (PP) and as per the documents submitted by the PP, the total plot area is 3,94,237.058 m², out of which area earmarked for greenbelt is 3,30,000 m². It is reported that no national park/wildlife sanctuary/coral formation is located within 10 km distance of the plant. River Doodhganga is flowing at a distance of 6 Km. The total project cost is Rs.74.50 Crores, out of which 200.95 Lakhs are earmarked towards CSR activity.

3. The project proposal was initially considered by the Maharashtra State Level Expert Appraisal Committee (SEAC) in its meeting held on 01st August, 2014 and had approved ToR for preparation of EIA. As the project is located within 5 km distance of interstate boundary; SEAC-1 in its 114th meeting held on 19th – 21st November, 2015 has categorized

the project as Category 'A' and desired to be appraised by Central EAC. The Member Secretary (SEAC-1) vide letter No. SEAC-2014/CR-45/TC-2 dated 08th January, 2016 has transferred the project to the Ministry of Environment, Forest and Climate Change, New Delhi.

4. All Sugar industry are listed at S.N. 5(j) (ii) of Schedule of Environmental Impact Assessment (EIA) Notification under category 'B'. The present proposal is located within 5 km distance of interstate boundary of Maharashtra and Karnataka. Due to the applicability of general condition i.e. located in whole or in part within 10 km from the inter-State boundaries; the proposal is treated as Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

5. The project proposal was subsequently considered by the Expert Appraisal Committee (Industry -2) in its 6th meeting held during 30th March- 02nd April, 2016 and 13th meeting held during 26th-27th September, 2016. The project proponent and their consultant M/s Green Circle, Vadodara (accreditation case sub-judice) gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken as per Terms of References (TORs) awarded by SEAC, Maharashtra for preparation of EIA-EMP report.

6. The PP has obtained environmental clearance (EC) for the existing Sugar unit (7500 TCD) from the State Environment Impact Assessment Authority (SEIAA) vide Environment Department, Government of Maharashtra letter no. ENV(NOC)2005/1591/CR224/TC-II dated 27th August, 2007. Regional Office of MoEF&CC at Nagpur, vide letter no. EC-41/RON/2016-NGP/691 dated 21.07.2016 has submitted the copy of certified compliance report to the environmental conditions prescribed in the existing EC. The EAC has found compliance report to be satisfactory.

7. Public Hearing for the proposed project has been conducted by the Maharashtra Pollution Control Board on 10.07.2015. The EAC has deliberated upon the issues raised during the public hearing and noted that the issues have satisfactorily been incorporated in the final EIA-EMP report.

8. The EAC, in its 13th meeting held during 26th-27th September, 2016, has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

9. Based on the proposal and information submitted by the Project Proponent, and based on the recommendation by the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

- i. ESP/Bagfilter shall be provided to the bagasse fired boiler (20 TPH; 75 TPH and 90 TPH) to control particulate emissions within permissible limit. The gaseous

emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines. No wet scrubber shall be used. Existing boiler (55 TPH) will be converted into 75 TPH boiler.

- ii. Pucca approach road to project site should be constructed prior to commencing construction activity of the main distillery to avoid fugitive emissions.
- iii. Total fresh water requirement from Doodhganga River shall not exceed 600 m³/day for sugar unit and Co-generation power plant. No ground water shall be used without permission. Effort shall be made to use recycled water from sugar and condensate of MEE for the co-generation power unit.
- iv. Water consumption also to be restricted to 100 liters / ton initially and further to 50 Liters/ton cane crushed in a time bound manner as per the CPCB guidelines.
- v. Effluent from sugar unit should be treated in the effluent treatment plant with adequate treatment with standard of 30 mg/l of BOD. Existing ETP shall be upgraded to achieve the standard of BOD 30 mg/l.
- vi. As proposed, no effluent from sugar plant should be discharged outside the premises and Zero discharge shall be achieved.
- vii. Bagasse/coal storage should be done in such a way that it does not get air borne or fly around due to wind.
- viii. Boiler ash should be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust should be avoided. Bagasse ash and coal ash should be stored separately.
- ix. Occupational health surveillance programme should be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre should be strengthened and the regular medical test records of each employee should be maintained separately.
- x. Dedicated parking facility for loading and unloading of material should be provided in the factory premises. Unit should develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xi. All the issues raised during the public hearing/consultation meeting held on 10th July, 2015 should be satisfactorily implemented.
- xii. As proposed, green belt over 33% of plot area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xiii. At least 5 % of the total cost of the project should be earmarked towards the Enterprise Social Commitment (ESC) based on local needs and action plan with



financial and physical breakup/details should be prepared and submitted to the Ministry's Regional Office at Nagpur. Implementation of such program should be ensured accordingly in a time bound manner.

B. General Conditions:

- i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- ix. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.




- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
 - xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
 - xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
 - xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
 - xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
 - xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
 - xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
 - xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
10. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.




11. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

12. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


20.12.2016
(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.


20.12.2016
(Yogendra Pal Singh)
Scientist 'D'

**Point wise Compliance towards
Conditions in Environment Clearance
Letter**

Brief Summary of the Project

1. Name of Project : **M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., (JSSSKL), Hupari**
2. Clearance letter No. & date : F. No. J-11011/38/2016-IA-II(I), Dated 20th December,2016.
3. Location, District & State/UT : Dist.: Kolhapur. State: Maharashtra.
4. Address for Correspondence. : Shri Kallappanna Awadenagar, Hupari-Yalgud, Tal.: Hatkanangale, Dist.: Kolhapur, Maharashtra 416 203.
5. Six Monthly Compliance for Period : October- 2019 to March-2020

M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd; Hupari (JSSSKL) is an integrated Project Complex of Sugar (12,000 TCD) & Co-gen (28.5 MW) located at Kallappanna Awadenagar, Hupari-Yalgud, Tal.: Hatkanangale, Dist.: Kolhapur, Maharashtra State. JSSSKL was Established in 1990 under. The Maharashtra Co-operative Society Act 1960. Sugar factory is registered with Govt. Of Maharashtra Vide Certificate No. KPR/HLE/PRG (A)/30(S)/29-JAN-1990. In addition, it has been registered as Multi-State Co-operative Society Vide registration no. MSCS/CR-51/30-DEC-1994. First crushing season of Sugar Factory was undertaken in the year 1993-94. Environmental Clearance (EC) was Granted to 7,500 TCD Sugar and 28.5 Co-gen by Maharashtra Government vide letter No. ENV (NOC) 2005/159/CR224/TC-II, dated 27th August 2007. There after JSSSKL Planned to go for Expansion of Sugar Factory 7,500 TCD to 12,000 TCD for which Environmental Clearance (EC) was procured vide letter No. J-11011/38/2016-IA-II(I) Dated 20th December,2016. Refer Copies of EC Enclosed at **Enclosure-I**

Six Monthly (Period October-2019 to March-2020) Compliance report for Sugar Factory of Capacity 12,000 TCD by M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd. Hupari (JSSSKL), Located At- Hupari, Shri Kallappanna Awadenagar, Hupari-Yalgud, Tal.: Hatkanangale, Dist.: Kolhapur, Maharashtra 416 203.

Compliance of Specific and General Conditions mentioned in Environmental Clearance (EC) letter J-11011/38/2016-IA II (I) dated 20th December 2016 for period from October- 2019 to March-2020 is presented as follows-

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated
	SPECIFIC CONDITIONS	
1.	Condition No.1 ESP/ Bag filter shall be provided to the bagasse fired boiler (20 TPH: 75 TPH, and 90 TPH) to control particulate emissions within permissible limit. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines. No wet Scrubber shall be used. Existing boiler (55 TPH) will be converted into 75 TPH boiler.	ESPs as APC are provided followed by stack height of 75 M (common for 90 & 20 TPH) & 72 M for 75 TPH boilers to control Particulate Matter and Gaseous pollutants. Moreover, online monitoring system is also installed on stacks. Photographs of same are attached at Annexure- I .

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated
2.	<p>Condition No. 2 Pucca approach road to project site should be constructed prior to commencing construction activity of the main distillery to avoid fugitive emissions.</p>	Compliance already done.
3.	<p>Condition No. 3 Total fresh water requirement from Doodhganga River shall not exceed 600 M³/day for sugar unit and co-generation power plant. No ground water shall be used without permission. Effort shall be made to use recycled water from sugar and condensate of MEE for the Co-generation Power unit.</p>	Total fresh water requirement for 12,000 TCD Sugar Unit does not exceed 600 M ³ /Day during above said monitoring period. Also the same is being taken from Doodhganga river for which permission has already been procured. Refer Annexure- II for copy of same.
4.	<p>Condition No. 4 Water consumption also to be restricted to 100 liters/ton initially and further to 50 Liters/ton cane crushed in a time bound manner as per the CPCB guidelines.</p>	The compliance towards condition is being followed.
5.	<p>Condition No.5 Effluent from sugar unit should be treated in the effluent treatment plant with adequate treatment with standard of 30 mg/l of BOD. Existing ETP shall be upgraded to achieve the standard of BOD 30 mg/l.</p>	The capacity of ETP is 3000 M ³ /D. The parameters of treated effluent are within the prescribed limits. Online monitoring system as well as flow meter has been provided for ETP unit. Refer Annexure- III for photographs of ETP units. Refer Annexure- VII for Effluent monitoring reports.
6.	<p>Condition No. 6 As proposed, no effluent from sugar plant should be discharged outside the premises and Zero discharge shall be achieved.</p>	No effluent is discharged outside industry premises. The treated effluent is being recycled. Treated effluent is use for gardening & irrigation purpose in factory premises on area of 150 Acres.
7.	<p>Condition No. 7 Bagasse/Coal storage should be done in such a way that it does not get air borne or fly around due to wind.</p>	Adequate measures have been taken around bagasse storage for prevention of air pollution. Therein, pucca internal roads and green belt around bagasse yardare provided for prevention of air pollution.
8.	<p>Condition No. 8 Boiler ash should be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust should be avoided. Bagasse ash and coal ash should be stored separately.</p>	Boiler ash is transfer to ash silo through pneumatic ash handling system through closed pipe. Refer Annexure – IV for photographs of same. Workers entering inside the plant area are provided Personal Protective Equipment's (PPEs) to protect them from direct exposure to fly ash & dust.

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated																								
9.	<p>Condition No. 9 Occupational health surveillance programmers should be undertaken as regular exercise for all employees. The first aid facility in the occupational health centre should be strengthened and the regular medical test records of each employee should be maintained separately.</p>	<p>Occupational health surveillance is being carried out once in a year for all employees and records are maintained. A sample copy of latest health check-up report is attached at Annexure – V.</p>																								
10.	<p>Condition No. 10 Dedicated parking facility for loading and unloading of material should be provided in the factory premises. Unit should develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.</p>	<p>Dedicated parking area has been provided at the factory site. Moreover, guards have been appointed for traffic management during crushing period to prevent traffic congestion on public roads.</p>																								
11.	<p>Condition No. 11 All the issues raised during the public hearing / consultation meeting held on 10th July, 2015 should be satisfactorily implemented.</p>	<p>There were no any measure issues raised during PH and other issues already implemented.</p>																								
12.	<p>Condition No. 12 As proposed, green belt over 33% of plot area shall be developed within plant premises with atleast 10 meters wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.</p>	<p>85 Acres (34.39 Ha.) area is brought under Greenbelt out of the total plot area of 246 Acres (99.57 Ha.). This comes to about 35% of total plot area. Total 62254 Nos. of tree species have been planted in the factory premises Details of Greenbelt are attached at Annexure – VI.</p>																								
13.	<p>Condition No. 13 At least 5% of the total cost of the project should be earmarked towards the Enterprises Social Commitment (ESC) based on local needs and action plan with financial and physical breakup / details should be prepared and submitted to the Ministry's Regional Office at Nagpur. Implementation of such program should be ensured accordingly in a time bound manner.</p>	<p>Enterprise Social Commitment is being implemented in phase-wise manner. Following are the details of expenditure made during the monitoring period:</p> <table border="1" data-bbox="831 1630 1402 2045"> <thead> <tr> <th data-bbox="831 1630 906 1697">No.</th> <th data-bbox="906 1630 1177 1697">ESC Activity</th> <th data-bbox="1177 1630 1402 1697">Amount in Lakhs</th> </tr> </thead> <tbody> <tr> <td data-bbox="831 1697 906 1753">1.</td> <td data-bbox="906 1697 1177 1753">Sport promotion funding</td> <td data-bbox="1177 1697 1402 1753">Rs. 3.97 Lakhs</td> </tr> <tr> <td data-bbox="831 1753 906 1821">2.</td> <td data-bbox="906 1753 1177 1821">Funding for Social Activities</td> <td data-bbox="1177 1753 1402 1821">Rs. 11.69 Lakhs</td> </tr> <tr> <td data-bbox="831 1821 906 1854">3.</td> <td data-bbox="906 1821 1177 1854">Medical Aid</td> <td data-bbox="1177 1821 1402 1854">Rs. 9.02 Lakhs</td> </tr> <tr> <td data-bbox="831 1854 906 1888">4.</td> <td data-bbox="906 1854 1177 1888">Funding for Education</td> <td data-bbox="1177 1854 1402 1888">Rs. 0.35 Lakhs</td> </tr> <tr> <td data-bbox="831 1888 906 1955">5.</td> <td data-bbox="906 1888 1177 1955">Funding for Cultural Programmes</td> <td data-bbox="1177 1888 1402 1955">Rs. 0.55 Lakhs</td> </tr> <tr> <td data-bbox="831 1955 906 2022">6.</td> <td data-bbox="906 1955 1177 2022">Drip Irrigation Subsidy</td> <td data-bbox="1177 1955 1402 2022">Rs. 7.36 Lakhs</td> </tr> <tr> <td data-bbox="831 2022 906 2045"></td> <td data-bbox="906 2022 1177 2045" style="text-align: right;">Total</td> <td data-bbox="1177 2022 1402 2045">Rs. 32.94 Lakhs</td> </tr> </tbody> </table>	No.	ESC Activity	Amount in Lakhs	1.	Sport promotion funding	Rs. 3.97 Lakhs	2.	Funding for Social Activities	Rs. 11.69 Lakhs	3.	Medical Aid	Rs. 9.02 Lakhs	4.	Funding for Education	Rs. 0.35 Lakhs	5.	Funding for Cultural Programmes	Rs. 0.55 Lakhs	6.	Drip Irrigation Subsidy	Rs. 7.36 Lakhs		Total	Rs. 32.94 Lakhs
No.	ESC Activity	Amount in Lakhs																								
1.	Sport promotion funding	Rs. 3.97 Lakhs																								
2.	Funding for Social Activities	Rs. 11.69 Lakhs																								
3.	Medical Aid	Rs. 9.02 Lakhs																								
4.	Funding for Education	Rs. 0.35 Lakhs																								
5.	Funding for Cultural Programmes	Rs. 0.55 Lakhs																								
6.	Drip Irrigation Subsidy	Rs. 7.36 Lakhs																								
	Total	Rs. 32.94 Lakhs																								

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated
	GENERAL CONDITION	
14.	<p>Condition No. 1 The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.</p>	Compliance strictly being followed.
15.	<p>Condition No. 2 No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	<p>Condition is strictly being followed. No expansion or modifications in the plant is carried out without prior approval of Ministry of Environment, Forests and Climate Change (MoEFCC)/ Department of Environment, Govt. of Maharashtra.</p>
16.	<p>Condition No. 3 The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind directions as well as where maximum ground level concentrations are anticipated.</p>	<p>Condition is strictly followed. Monitoring of ambient air quality is done. Thereunder, upwind and downwind locations are considered for monitoring. The monitoring reports of same are presented at Annexure – VII. The parameters are well below NAAQS standards.</p>
17.	<p>Condition No. 4 The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.</p>	
18.	<p>Condition No. 5 The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz 75 dBA (day time) and 70 dBA (night time).</p>	<p>Compliance strictly being followed. No major noise generating source exists in the Sugar Unit. Also, workers are provided with PPE. Overall noise levels in and around the plant area are maintained within the standards prescribed under Environment (Protection) Act, 1986, 1989 Rules.</p>

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated																								
19.	<p>Condition No. 6 The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.</p>	<p>RWH plan is being implemented on site. Thereunder, roof top Area (71419.00 Sq. M) water is being harvested and is utilized for domestic purpose and gardening.</p>																								
20.	<p>Condition No. 7 Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.</p>	<p>Training sessions/workshops for employees on safety and health aspects are organized from time to time. Also, periodical medical examination for all employees is arranged on regular basis. Onsite record of the same is maintained.</p>																								
21.	<p>Condition No. 8 The company shall also comply with all the environmental protection measures and safeguards proposed in the document submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.</p>	<p>Compliance strictly followed. Following is the break-up for EMP:</p> <table border="1" data-bbox="831 1028 1398 1435"> <thead> <tr> <th data-bbox="831 1028 900 1122">No.</th> <th data-bbox="900 1028 1115 1122">Description</th> <th data-bbox="1115 1028 1267 1122">Capital Cost in Rs.</th> <th data-bbox="1267 1028 1398 1122">O & M Cost in Rs.</th> </tr> </thead> <tbody> <tr> <td data-bbox="831 1122 900 1182">1</td> <td data-bbox="900 1122 1115 1182">ETP</td> <td data-bbox="1115 1122 1267 1182">Rs. 156.33 Lakhs</td> <td data-bbox="1267 1122 1398 1182">Rs. 38.52 Lakhs</td> </tr> <tr> <td data-bbox="831 1182 900 1245">2</td> <td data-bbox="900 1182 1115 1245">APC Equipment</td> <td data-bbox="1115 1182 1267 1245">Rs. 381.99 Lakhs</td> <td data-bbox="1267 1182 1398 1245">Rs. 33.05 Lakhs</td> </tr> <tr> <td data-bbox="831 1245 900 1308">3</td> <td data-bbox="900 1245 1115 1308">Environmental Monitoring</td> <td data-bbox="1115 1245 1267 1308">--</td> <td data-bbox="1267 1245 1398 1308">Rs. 1.60 Lakhs</td> </tr> <tr> <td data-bbox="831 1308 900 1370">4</td> <td data-bbox="900 1308 1115 1370">Green Belt</td> <td data-bbox="1115 1308 1267 1370">Rs. 6.10 Lakhs</td> <td data-bbox="1267 1308 1398 1370">Rs. 17.09 Lakhs</td> </tr> <tr> <td colspan="2" data-bbox="831 1370 1115 1435" style="text-align: right;">Total</td> <td data-bbox="1115 1370 1267 1435">Rs. 544.42 Lakhs</td> <td data-bbox="1267 1370 1398 1435">Rs. 90.26 Lakhs</td> </tr> </tbody> </table>	No.	Description	Capital Cost in Rs.	O & M Cost in Rs.	1	ETP	Rs. 156.33 Lakhs	Rs. 38.52 Lakhs	2	APC Equipment	Rs. 381.99 Lakhs	Rs. 33.05 Lakhs	3	Environmental Monitoring	--	Rs. 1.60 Lakhs	4	Green Belt	Rs. 6.10 Lakhs	Rs. 17.09 Lakhs	Total		Rs. 544.42 Lakhs	Rs. 90.26 Lakhs
No.	Description	Capital Cost in Rs.	O & M Cost in Rs.																							
1	ETP	Rs. 156.33 Lakhs	Rs. 38.52 Lakhs																							
2	APC Equipment	Rs. 381.99 Lakhs	Rs. 33.05 Lakhs																							
3	Environmental Monitoring	--	Rs. 1.60 Lakhs																							
4	Green Belt	Rs. 6.10 Lakhs	Rs. 17.09 Lakhs																							
Total		Rs. 544.42 Lakhs	Rs. 90.26 Lakhs																							
22.	<p>Condition No. 9 The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.</p>	<p>Please refer compliance under Specific Condition No. 13 above.</p>																								
23.	<p>Condition No. 10 The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.</p>																									
24.	<p>Condition No. 11 A separate Environmental Management Cell equipped with full fledged</p>	<p>A separate Environment Management cell is already established. Refer Annexure –</p>																								

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated
	laboratory facilities shall be set up to carry out the Environmental management and Monitoring function.	VIII for same.
25.	<p>Condition No. 12</p> <p>The company shall earmark sufficient fundstowards capital cost and recurring cost per annum to implement the conditions stipulated bythe Ministry of Environment. Forest and ClimateChange as well as the State Government alongwith the implementation schedule for all theconditions stipulated herein. The funds soearmarked for environment management/pollution control measures shall not be diverted for any other purpose.</p>	Please refer compliance under Specific Condition No. 13 above.
26.	<p>Condition No. 13</p> <p>A copy of the clearance letter shall be sent bythe project proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation. Urbanlocal Body and the local NGO, if any, fromwhom suggestions/ representations, if any, werereceived while processing the proposal.</p>	The condition is complied with necessary action.
27.	<p>Condition No. 14</p> <p>The project proponent shall also submit sixmonthly reports on the status of compliance ofthe stipulated Environmental Clearanceconditions including results of monitored data (both in hard copies as well as by e-mail) to therespective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. Acopy of Environmental Clearance and sixmonthly compliance status report shall be postedon the website of the company.</p>	Regular Six Monthly Compliance reports havebeen submitted and copies of same are alsodisplayed on company website. The following is the link company's website http://www.jawaharsugar.com/ Refer Annexure – IX for Acknowledgment of previous Six Monthly Compliance report.
28.	<p>Condition No. 15</p> <p>The environmental statement for each financialyear ending 31st March in Form-V as ismandated shall be submitted to the concernedState Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986,as amended subsequently,</p>	Compliance is being done. Refer Annexure – X for acknowledgment copies.

No.	Environmental Clearance Condition	Compliance towards the Conditions Stipulated
	shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	
29.	<p>Condition No. 16</p> <p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	Compliance already done. Refer Annexure-XI for News Paper advertisement copy.
30.	<p>Condition No. 17</p> <p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p>	Date of financial closure in connection with the Industrial Project is 31 st March.

Annexure – I

Photographs of ESP, Stack



90, 20 & 75 M.T. /hr capacity
Boiler Chimney.
75 Mtr. and 72 Mtr.
Height respectively

Electro Statik Precipitator for
90 M.T./hr Boiler Capacity





Electro Static Precipitator for
75 M.T/hr Boiler Capacity

Electro Static Precipitator
for 20 M.T/hr Boiler
Capacity





Dust monitor unit for Total Particulate Matter for 75 mtr.height stack



Analyzer for outlet Treated Water - for parameter pH, T.S.S, C.O.D & BOD measurement.



Dust monitor unit for Total Particulate Matter for stack



Dust monitor unit for Total Particulate Matter for 72 mtr.height stack

Annexure – II

Fresh Water Requirement & Water Lifting Permission

कोल्हापूर पाटबंधारे विभाग (उत्तर), कोल्हापूर.
सिंचन भवन, ताराबाई पार्क, कोल्हापूर-४१६००३.

दूरध्वनी क्रमांक (०२३१) २६५४७३६, फॅक्स क्र.(०२३१)२६५४७३५, ईमेल eekidkop@gmail.com

जा.क्र.कोपावि(उ)/प्रशा-३/(३७)/बिगरसिंचन/४९४/सन २०१८,

दिनांक :- ०४/०५/२०१८

प्रति,

कार्यकारी संचालक

जवाहर शेतकरी सह साखर कारखाना लि हुपरी

ता हातकणंगले जि. कोल्हापूर

विषय :- बिगर सिंचन द्विर्षिय करारनामा मंजूरी बाबत
१/०५/२०१८ ते ३०/०४/२०२४


- संदर्भ :- १) १) मा. मुख्य अभियंता (जस)जलसंपदा विभाग पुणे यांचे ज्ञापन पत्र जा
क्र मु अ (जस)/(२९६/२०१७)/प्रशा-७/५१८८ दि. ०७/१२/२०१७
२) पृष्ठांकन अधिक्षक अभियंता कोल्हापूर पाटबंधारे मंडळ कोल्हापूर को पा
म/प्रशा-१/७८९१/२०१७ दि २२/१२/२०१७

उपरोक्त संदर्भिय पत्र क्र. १ अन्वये आपणास ^{दुधगंगा} ~~वसव्या~~ प्रकल्पातून ^{दुधगंगा} ~~वसव्या~~ नदितून पिण्यासाठी
०.१२० दलघमी व औद्योगिक कारणासाठी ०.०४८ दलघमी असा एकूण ०.१६८० दलघमी इतका सुधारित पाणी
कोटा मंजूर असुन. आपण केलेल्या विनंती अर्जांनुसार आपला दि ०१/०५/२०१८ ते ३०/०४/२०२४ या कालावधीचा
करारनामा खालील अटींच्या अधिन राहूनमंजूर करणेत येत आहे.

- १) संदर्भिय पत्र क्र १ मधील सर्व अटी व शर्ती बंधनकारक रहातील.
- २) संदर्भिय पत्र क्र. १ अन्वये केलेली मागणी ही पुर्वी नियोजित असलेमुळे मंजूर परिमाण किंवा त्या
कालावधीचा प्रत्यक्ष पाणीवापर यापैकी जादा असणाऱ्या पाणी वापराची आकारणी करण्यात
येईल.
- ३) दि.०१/११/२०१७ ते ३१/१०/२०२३ या कालावधीसाठी रू. १००० च्या स्टॅम्प पेपरवर करारनामा
करणे बंधनकारक आहे.
- ४) ज्याठिकाणी योजनेचा पंप हाऊस आहे. त्या ठिकाणी इलेक्ट्रॉनिक मोजणी यंत्र बसविणे आवश्यक
असून, नोंदी ठेवण्यासाठी लॉगबुक ठेवणे आवश्यक आहे. तसेच संस्थेचा पाणीवापर पिण्यासाठी व
औद्योगिक वापर वेगवेगळा असेल तर त्यासाठी वेगवेगळी इलेक्ट्रॉनिक मोजणी यंत्र बसविणे
बंधनकारक असुन न बसविल्यास आकारणी औद्योगिक दराने करणेत येईल. यासर्व इलेक्ट्रॉनिक
मोजणी यंत्राची नोंद वही ठेवणे बंधनकारक आहे. यासर्व इलेक्ट्रॉनिक मोजणी यंत्राची दरवर्षी
कॅलिब्रेशन प्रमाणपत्र सादर करणे बंधन कारक आहे.
- ५) इलेक्ट्रॉनिक मोजणी यंत्र बसविणेची कार्यवाही न केलेस आपणास मुळ मंजूरीनुसार दिडपट दराने
आकारणी करण्यात येईल याची कृपया नोंद घ्यावी.
- ६) जलसंपदा विभाग शासन निर्णय क्र. पापव-२०१५/(प्रक्र ८८/२०१५)/सिव्य(महसूल)
दि. २१/०४/२०१६ अन्वये आपल्या संस्थेचे सांडपाणी विसर्जित करताना सांडपाण्याची गुणवत्ता
महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून दर महिन्याला तपासून प्रदूषण होत नसल्याबाबतचे
प्रमाणपत्र जलसंपदा विभागास देणे बंधनकारक राहिल.

- ७) जर महाराष्ट्र प्रदुषण नियंत्रण मंडळाच्या विहित प्रमाणकांची गुणवत्ता येईपर्यंत सांडपाण्यावर उचीत प्रक्रिया केली नसेल तर अशा प्रकरणी अनुज्ञेय दराच्या दुप्पट दराने आकारणी करणेत येईल. महाराष्ट्र प्रदुषण नियंत्रण मंडळाकडून स्वतंत्रपणे करण्यात येत असलेल्या कार्यवाही व्यतिरिक्त ही (दंडनीय) आकारणी असेल.
- ८) महाराष्ट्र प्रदुषण नियंत्रण मंडळाकडून त्यांच्या तपासणीत ज्या दिनांकास पाणी वापरकर्ता प्रदुषण कर्ता असल्याचे घोषित करणेत येईल त्या दिनांकापासून पूर्वलक्षी प्रभावाने प्रचलित अनुज्ञेय दराच्या दुप्पट दराने पाणीपट्टी वसुली आकारण्यात येईल. ही आकारणी महाराष्ट्र प्रदुषण नियंत्रण मंडळाकडून स्वतंत्रपणे करणेत येत असलेल्या कार्यवाही व्यतिरिक्त असेल.
- ९) महाराष्ट्र प्रदुषण नियंत्रण मंडळाने पाणी पुरवठा खंडीत करावयाचे आदेश काढल्यास त्यानुसार कार्यवाही करणेत येईल व सदर मंडळाने पाणी पुरवठा पुर्ववत करण्याचे आदेश काढल्यानंतर दंडनीय आकारणीसह सर्व वसुली भरुन घेतल्यानंतर पाणी पुरवठा पुर्ववत सुरु करण्यात येईल.
- १०) त्याचप्रमाणे शासनामार्फत बिगर सिंचन पाणी वापराबाबत वेळोवेळी निर्गमित होणारे शासन निर्णय व मुळ मंजूर परवान्यातील अटी आपल्यावर बंधनकारक राहतील याची कृपया नोंद घ्यावी.
- ११) आपल्या संस्थेस मंजूर करण्यात आलेल्या ०.१६८० दलघमी वापरापेक्षा $\pm 10\%$ पाणी वापर (अधिक / कमी) झाल्यास फरकाच्या वापरास दंडनीय दर लागू दराच्या दीडपटने आकारणी करणेत येईल याची नोंद घ्यावी.
- १२) शासन परिपत्रक क्र.२०१३//प्र क्र ३५७/२०१३)सिं व्य (महसुल) दि ३ जून २०१५ नुसार आपल्या संस्थेने प्रत्यक्ष केलेला घरगुती व वाणिजिक /औधोगिक तसेच कच्चा माल म्हणुन केलेल्या पाण्याचा वापर ,प्रक्रियेसाठी केलेल्या पाण्याचा वापर ई माहिती (दि १ एप्रिल ते ३१ मार्च दरवर्षी १५ मे पुर्वी जलसंपदा विभागास विहित प्रपत्रात सादर करणे बंधनकारक आहेसदर प्रत्यक्ष पाणी वापराची माहिती (प्रपत्र १ व प्रपत्र २)मध्ये उपलब्ध करुन न दिल्यासपाणी पट्टी आकारणी दंडनीय दराने करणेत येईल व सदर परिपत्रकातील सुचनेस अनुसरुन कार्यवाही करणेत येईल

स्थळ प्रत का.अ.यांनी मंजूर केली.


उपकार्यकारी अभियंता,
कोल्हापूर पाटबंधारे विभाग(उत्तर),
कोल्हापूर.

प्रत :- सहाय्यक अभियंता दुधगंगा पाटबंधारे उपविभाग निढोरी यांना माहितीसाठी याबाबतची कार्यवाही काटेकोरपणे करणेसाठी रवाना. याबाबतची कार्यवाही काटेकोरपणे करणेसाठी

प्रत :- सिंचन शाखा २ , विभागीय कार्यालय यांना माहितीसाठी व कार्यवाहीसाठी रवाना.

JAWAHAR SSSK LTD., HUPARI	
I/W No. 9004	Date 31/5/16
Sent to C.E., C.C.T.O	5
chE/mfr/STP	Authorised signature

Annexure – III

Photographs of ETP




Two stage primary to remove oil & sludge and old equalization tank



New equalization tank and feeding system to old and new stream
20 M³/hr.+ 70 M³/hr.



New anaerobic counter current digester 70 M³/hr. and preareation tank outlet



Floating areator, sludge seperator & return sludge to digester & preareation tank



Floating aerator



New diffuse aeration tank



Old diffuse aeration tank



Secondary clarifier new stream



Secondary clarifier old stream



Tertiary system to streams 100 M³/hr. each
Power sand filter followed by plant based activated carbon &
polishing unit comprising high grade anthracite and activated carbon



Sensor for outlet Treated Water -for parameter pH, T.S.S, C.O.D & BOD measurement.



Flow meter for outlet Treated Water



Treated Water outlet Tank



System for Treated Water Monitoring



Treated Water Outlet



Sludge Drying Bed



R.C.C. with Geomembrane paper lining laid for Lagoon No.1




15 Days Storage Tank-1



15 Days Storage Tank-2



Electric energy meter for E.T.P.



Mini spray-inlet sump (All excess vapour condensate & cooling water)



Mini spray pond
capacity 10200 M³/day water recycle
inlet temperature 58°C to 60°C outlet temperature 28 to 30°C

Annexure – IV

Photograph of Ash Collector



Boiler Ash handling system

Annexure – V

Health Surveillance Details

JAWAHAR SHETKARI SAHAKARI SAKHAR KARKHANA LTD., HUPARI

Shri Kallappa Anna Awadenagar, Hupari-Yalgud 416 203, Tal.: Hatkanangale, Dist.: Kolhapur. (Maharashtra)

Phone : (0230) 2450402 (5 Lines), Fax (0230) 2450401, E-mail : kpjsssk@gmail.com

LWO/ 4148/2018-19

Date.- 24/07/2018

To,

The Deputy Director,
Industrial Safety & Health,
Zilha Udyog Bhavan,
Near Collector Office,
KOLHAPUR.

Sub. :- Submission of form No. 7.

Dear Sir,

We have conducted medical check-up of our employees and the Certifying Surgeon has issued us form No. 7 as per rules of 'The Maharashtra Factories Rules, 1963.' We herewith enclose the photo copy of the same (48 pages) for your record & perusal.

Thanking you,

Yours faithfully,

For Jawahar S.S.S.K.Ltd.,

(M.G.Joshi)

Managing Director

Encl. : A/a

औद्योगिक सुरक्षा व आरोग्य संचालनालय,
स. नं. २५४, उद्योग भवन, असेंबली रोड,
जिल्हाधिकारी कार्यालयाजवळ, कोल्हापूर.
पिन कोड नं. ४१६ ००३.

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 05/07/2018 To 04/07/2019

Certifying Surgeon

DR. ARVIND MANE

MBBS DPH AFH. (Mumbai)

Company Name : **JAWAHAR SHETKARI SAHAKARI KARKHANA LTD.**

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharg	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon.
1	2102	MR. DILIP D. PATIL	58	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
2	1734	MR. CHANDRAKANT M. MALI	49	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
3	943	MR. VITTHAL G. MORE	52	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
4	1778	MR. PRAVIN M. GHAT	39	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
5	1360	MR. SURESH K. KORE	51	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
6	145	MR. KRUSHNAT INGALE	49	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
7	1346	MR. PARGONDA N. PATIL	46	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
8	729	MR. BHARAT D. KAMBLE	56	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
9	1436	MR. SHARAD A. MUDAGAL	45	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
10	885	MR. ASHOK G. CHAVAN	47	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
11	1024	MR. NARSU MORE	51	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
12	1441	MR. PRAKASH M. CHAVAN	46	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
13	630	MR. ASHOK NARSAI	48	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
14	795	MR. RAFIK BASAPURE	44	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
15	2119	MR. MAHADEV A. KHOT	34	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
16	1852	MR. PRAMOD S. PATIL	39	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
17	1902	MR. SIDU MADHALE	36	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
18	911	MR. KUBER B. PATIL	45	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
19	482	MR. HINDURAO N. PATIL	51	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे

कोल्हापूर जिल्हाकरिता

प्राधिकृत प्रमाणक शाल्यचिकित्सक

ACS 15-AM/2016

Form No 7 (Prescribed under Rule 18 (17))

HEALTH REGISTER

From: 05/07/2018 To 04/07/2019

Certifying Surgeon

DR.ARVIND MANE

MBBS DPH AFH.(Mumbai)

Company Name : JAWAHAR SHETKARI SAHAKARI KARKHANA LTD.

Sr. No.	Emp. No.	Name	Age	Sex	Dept of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer of discharge	Nature of job or occupation	Raw material or bye product handled	Exam. Date	Result of Medical Examination	If suspended from work, state period of suspension with detailed reasons	Certified fit to resume duty on with signature of Certifying Surgeon	If Certificate of unfitness or suspension issued to worker	Signature with gate certifying surgeon.
20	1928	MR. DATTATRAY P. YARGATTI	40	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
21	1633	MR. RAHUL A. KAMBLE	40	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
22	1567	MR. TANAJI D.JOG	51	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
23	720	MR. BALASAHEB HEGDE	53	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
24	1739	MR. VIJAY A. PATIL	36	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
25	1454	MR. ARUN MALGE	42	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
26	1995	MR. HANMANT M. PATIL	31	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
27	1855	MR. APPASO V.KAMBLE	44	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
28	1621	MR. JALANDAR P. PATIL	48	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
29	1581	MR. S.S.GOTKHINDE	44	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
30	1851	MR. RAJENDRA B. DURAGE	43	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
31	910	MR. RAJENDRA A. GANGAI	48	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
32	1864	MR. SHIVAJI G. MADALE	39	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
33	1259	MR. RAJESH R.BAVCHE	44	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
34	6158	MR. ANIL B.PATIL	60	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
35	338	MR. KRUSHNAT G. PATIL	48	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
36	1049	MR. SUNIL M.PAWAR	48	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
37	1140	MR. BHARMU K. PUJARI	59	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	
38	1376	MR. BASHIR NAYAKWADE	45	M	-	NA	NA			05/07/2018	Fit	NA	Fit	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता

Annexure – VI

Green Belt Details

इनव्हीरॉनमेंट इंजिनियर
यांचेकडे-

विषय : गार्डन विभागाकडील क्षेत्र निहाय झाडांची माहिती.

महोदय,

आपले दि. ०६-०४-२०२० च्या डी.पी. नुसार दि.३१-०३-२०२० अखेर गार्डन विभागाकडील झाडांची क्षेत्रवाईज माहिती खालीलप्रमाणे-

अ.न.	गट नं.	झाडांचे क्षेत्र	एकर गुंठे
१	१२५८	खोपी तळ पूर्व बाजू बांबू रोपे	१.२०
२	१२५८	खोपी तळ	२२.३६
३	३१५/८,९	कॉलनीतील झाडे	५.००
४	३१५/११	केनयार्ड पश्चिम बाजू	३.३०
५	३१५/९,१०	ऑफीस मागील आंबा व गुलाब	३.००
६	३१५/१०	स्टेज परिसर	२.११
७	३१५/९, ९२५/९	मेन रोड साईट दोन्ही बाजू	१.१३
८	३१५/१४	राख अड्डा	०.१३
९	३१५/१४	हमाल शेड निलगिरी प्लॉट	४.२६
१०	३१५/१४	हमाल शेड जंगली झाडे	४.१६
११	३१५/११	आतील गेट परिसर	०.०३
१२	३१५/१४	स्विचयार्ड बैलगाडी अड्डा	०.२२
१३	३१५/११	तळ्याभोवतीचे क्षेत्र गोडा.१३ मागे	२.१०
१४	३१५/७	पेट्रोल पंप	०.०५
१५	३१५/८	कंपोस्ट यार्डातील बांबू	२.२५
१६	३१५/७,८,९	बियाणे मळा	१३.३०
१७	९२५/९	फ्लॉवर बेड	०.११
१८	३१५/९	गेस्टहाऊस, बोर्डरूम परिसर	०.१२
१९	९२५/९	करंज,चिक्कू,आंबा परिसर	२.०२
२०	९२५/९	म्हसोबा मंदीर परिसर	६.००
२१	९२५/९,३१५/९	राजराजेश्वरी मंदीर ते बियाणे मळा नारळ, अशोक	१.३१
२२	९२५/९	कॅनॉल बाजू नारळ, अशोक झाडे	१.०८
२३	९२५/९,३१५/९	गेटबाहेरील दोन्ही क्रॉसबेड	०.०८
२४	९२५/९	मंदीर परिसर	१.१०
२५	९२५/९	केनयार्ड ते राजराजेश्वरी मंदीर रोड	०.२२
२६	९२५/९	ट्रॅक्टर अड्ड्यातील झाडे	२.३६
		एकूण-	८५.००

मुख्य शेती अधिकारी

जवाहर शेतकरी सहकारी साखर कारखाना लि., हुपरी,

श्री कल्लाप्याण्णा आवाडेनगर, हुपरी-यळगूड : ४१६ २०३, ता. हातकणंगले, जि. कोल्हापूर (महाराष्ट्र)

फोन नं. (०२३०)२४५०४०२ ते ६, फॅक्स नं.(०२३०)२४५०४०१,

ई-मेल : kprjssk@gmail.com

कारखाना कार्यस्थळांवर असलेल्या विविध झाडांची माहिती

सन २०१९-२०

दि. ३१/०३/२०२०

अ.नं.	तपशील	संख्या
अ)	फळझाडे	
१	नारळ	६१३
२	आंबा	३५०
३	चिककू	१५६
	एकूण -	१११९
ब)	जंगली झाडे	
१	रेनट्री	२६७५
२	कॅशिया	१७५२
३	चिंच	७८
४	कदंब	१७
५	जाक्रांडा	३५
६	बेहडा	१०
७	सप्तपर्णी	२७
८	ब्रासिया	१७
९	सागवान	१४
१०	सुरू	२०००
११	निंब व इतर	२७९८
१२	ट्यूबोबिया	२०
१३	कारडिया	३५
१४	गोरमचिंच	५५८
१५	सिल्वरओक	३९०
१६	मोहगणी	६
१७	वड	७०
१८	पिंपळ	१२५
१९	निलमोहर	३
२०	बहावा	१४०
२१	गुलमोहर	४०९
२२	कांचन	१३३
२३	निलगिरी	३४३०
२४	उंबर	१०
२५	फणस	१५
२६	बेल	२०
२७	ऑस्ट्रेलियन बाभळ	३००

अ.नं.	तपशील	संख्या
२८	गूळभेंडी	५०७
२९	करंज	१२३९
३०	जांभूळ	१००
३१	प्लेटोफोरम	२५०
३२	बांबू	२७६३४
३३	काटेसावर	१७०
	एकूण	४५३६८
क)	शोभीवंत झाडे	
१	बॉटल पाम	९०
२	अशोक	७०३
३	मोरपंखी	१०८
४	फायकस	१६७
५	बोगनवेली	१४४०
६	एक्झोरा	७२
७	चाफा	५३
८	आरेकापाम	४६०५
	एकूण -	७२३८
ड)	फूलझाडे	
१	गुलाब	६५५
२	इतर फुलझाडे	५३००
३	शोभीवंत कुंड्या	५६४
४	कणारी	१६७०
५	शंकासूर	३४०
	एकूण -	८५२९
	समरी	
अ	फळझाडे	१११९
ब	जंगली झाडे	४५३६८
क	शोभीवंत झाडे	७२३८
ड	फूलझाडे	८५२९
	एकूण -	६२२५४

मुख्य शती अधिकारी

Avenue Plantation in JSSSKL's Factory Premises



Mass Plantation in JSSSKL's Factory Premises



Roadside Plantation in JSSSKL's Factory Premises



Roadside Plantation in JSSSKL's Factory Premises



**GREENBELT DEVELOPMENT AT
JAWAHAR SHETAKARI S.S.K. LTD. (JSSSKL),
AT: HUPARI, TAL.: HATKANANGALE, DIST.: KOLHAPUR, MAHARASHTRA**



Annexure – VII

Monitoring Reports

■ ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/456
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	14.12.2019

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Main Gate	
02	Time of Sampling	10:30 A.M.	
03	Ambient Temperature	28.0 °C	
04	Dry Bulb Temperature	28.0 °C	
05	Wet Bulb Temperature	21.0 °C	
06	Relative Humidity	53.4 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	59.23 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	18.50 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	26.84 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/457
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	14.12.2019

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near ETP	
02	Time of Sampling	10:45 A.M.	
03	Ambient Temperature	28.0 °C	
04	Dry Bulb Temperature	28.0 °C	
05	Wet Bulb Temperature	21.0 °C	
06	Relative Humidity	53.4 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	56.87 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	17.43 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	25.04 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/458
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	14.12.2019

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Bagass Yard	
02	Time of Sampling	10:55 A.M.	
03	Ambient Temperature	28.0 °C	
04	Dry Bulb Temperature	28.0 °C	
05	Wet Bulb Temperature	21.0 °C	
06	Relative Humidity	53.4 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	62.86 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	23.41 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	30.08 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

• ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/459
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	14.12.2019
Time :	11:30 A.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 1
02	Material of Stack	RCC
03	Stack Height from Ground Level	75 M
04	Type of Stack	Round
05	Flue Gas Temperature	161 °C (434 K)
06	Differential Pressure	3.50 mm Wg
07	Velocity	7.40 m/sec
08	Stack Diameter	4.73 m
09	Stack Area	17.5627 m ²
10	Gas Volume	1405.59 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	59.20 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	47.03 mg/Nm ³
		01.59 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410-206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/460
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	14.12.2019
Time :	01:00 P.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 2
02	Material of Stack	RCC
03	Stack Height from Ground Level	72 M
04	Type of Stack	Round
05	Flue Gas Temperature	158 °C (431K)
06	Differential Pressure	5.20 mm Wg
07	Velocity	8.99 m/sec
08	Stack Diameter	3.00 m
09	Stack Area	7.0650 m ²
10	Gas Volume	1027.51Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	55.24 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	41.88 mg/Nm ³
		01.03 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, ,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

AMBIENT NOISE LEVEL MONITORING RESULTS

Report No.: Client : Site : Date of Sampling: Time:	EEIPL/REP/2019.20/461 M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., A/p.: Hupari, Dist.: Kolhapur. 14.12.2019. 02:15 P.M.
---	---

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A)
01	Near Main Gate	63.5	75
02	Near ETP	72.7	75
03	Near Bagas Section	67.3	75
04	Near Sugar Godown	68.1	75
05	Near Cane Yard	73.3	75

Note:

- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

WORKZONE NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/462
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	14.12.2019.
Time:	03:20 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A) (Refer Note Below)
01	Centrifugal Section	88.2	90
02	Turbine Section	86.7	90
03	Boiler Section	85.5	90
04	Mill Section	86.2	90
05	Pan Section	87.8	90

Note:

- The Factories' Act, 1948 has prescribed Noise Level threshold limit for 8 hours' exposure as 90 dB (A).

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: DECEMBER 27, 2019

EFFLUENT SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2019.20/463
Client:	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Location:	Effluent Treatment Plant.
Plant Condition:	ETP in Operation.
Date of Sampling:	14.12.2019.
Analysis Date:	15.12.2019.
Sample Name:	Industrial Effluent – Untreated & Treated

RESULTS

SR. NO.	TEST DESCRIPTION	UNTREATED	TREATED	MPCB LIMIT	UNIT
01	pH	3.96	7.20	6.5-8.5	--
02	Suspended Solids (SS)	265.10	18.30	100	mg/lit
03	Total Dissolved Solids (TDS)	1524.78	670.57	2100	mg/lit
04	Chemical Oxygen Demand (COD)	3053.62	72.14	250	mg/lit
05	Biochemical Oxygen Demand (BOD)	1500.41	20.80	100	mg/lit
06	Chlorides as Cl ⁻	501.27	164.19	600	mg/lit
07	Sulphates as SO ₄ ²⁻	623.88	211.50	1000	mg/lit
08	Oil & Grease	5.11	BDL	10	mg/lit

Note:

- BDL: Below Detectable Limit

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/560
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	03.01.2020

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Main Gate	
02	Time of Sampling	10:35 A.M.	
03	Ambient Temperature	30.0 °C	
04	Dry Bulb Temperature	30.0 °C	
05	Wet Bulb Temperature	23.0 °C	
06	Relative Humidity	55.1 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	63.21 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	20.90 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	29.57 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/561
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	03.01.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near ETP	
02	Time of Sampling	10:40 A.M.	
03	Ambient Temperature	30.0 °C	
04	Dry Bulb Temperature	30.0 °C	
05	Wet Bulb Temperature	23.0 °C	
06	Relative Humidity	55.1 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	58.83 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	19.05 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	27.18 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/562
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	03.01.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Bagass Yard	
02	Time of Sampling	10:50 A.M.	
03	Ambient Temperature	31.0 °C	
04	Dry Bulb Temperature	31.0 °C	
05	Wet Bulb Temperature	23.0 °C	
06	Relative Humidity	50.6 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	64.23 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	25.80 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	32.47 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/563
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	03.01.2020
Time :	11:00 A.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 1
02	Material of Stack	RCC
03	Stack Height from Ground Level	75 M
04	Type of Stack	Round
05	Flue Gas Temperature	165 ⁰ C (438 K)
06	Differential Pressure	3.80 mm Wg
07	Velocity	7.75 m/sec
08	Stack Diameter	4.73 m
09	Stack Area	17.5627 m ²
10	Gas Volume	1582.84 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	62.83 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	52.90 mg/Nm ³
		02.01 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS.
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91-9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/564
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	03.01.2020
Time :	12:30 P.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 2
02	Material of Stack	RCC
03	Stack Height from Ground Level	72 M
04	Type of Stack	Round
05	Flue Gas Temperature	167 °C (440 K)
06	Differential Pressure	5.50 mm Wg
07	Velocity	9.34 m/sec
08	Stack Diameter	3.00 m
09	Stack Area	7.0650 m ²
10	Gas Volume	1106.21Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	58.33 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	45.02 mg/Nm ³
		01.20 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

AMBIENT NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/565
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	03.01.2020.
Time:	02:35 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A)
01	Near Main Gate	61.3	75
02	Near ETP	70.7	75
03	Near Bagas Section	68.5	75
04	Near Sugar Godown	63.1	75
05	Near Cane Yard	72.6	75

Note:

- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL, CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

WORKZONE NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/566
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	03.01.2020.
Time:	03:30 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A) (Refer Note Below)
01	Centrifugal Section	87.8	90
02	Turbine Section	86.3	90
03	Boiler Section	87.1	90
04	Mill Section	85.4	90
05	Pan Section	86.8	90

Note:

- The Factories' Act, 1948 has prescribed Noise Level threshold limit for 8 hours' exposure as 90 dB (A).

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 11, 2020

EFFLUENT SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2019.20/567
Client:	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Location:	Effluent Treatment Plant.
Plant Condition:	ETP in Operation.
Date of Sampling:	03.01.2020.
Analysis Date:	04.01.2020.
Sample Name:	Industrial Effluent – Untreated & Treated

RESULTS

SR. NO.	TEST DESCRIPTION	UNTREATED	TREATED	MPCB LIMIT	UNIT
01	pH	4.20	7.55	6.5-8.5	--
02	Suspended Solids (SS)	585.12	19.30	100	mg/lit
03	Total Dissolved Solids (TDS)	1492.73	580.77	2100	mg/lit
04	Chemical Oxygen Demand (COD)	3253.08	71.49	250	mg/lit
05	Biochemical Oxygen Demand (BOD)	1526.10	18.70	100	mg/lit
06	Chlorides as Cl ⁻	453.27	113.34	600	mg/lit
07	Sulphates as SO ₄ ²⁻	301.90	150.34	1000	mg/lit
08	Oil & Grease	3.12	BDL	10	mg/lit

Note:

- BDL: Below Detectable Limit

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.),
PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/784
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	11.02.2020

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Main Gate	
02	Time of Sampling	10:25 A.M.	
03	Ambient Temperature	35.0 °C	
04	Dry Bulb Temperature	35.0 °C	
05	Wet Bulb Temperature	24.0 °C	
06	Relative Humidity	39.9 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	60.83 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	24.58 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	32.07 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/785
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	11.02.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near ETP	
02	Time of Sampling	10:40 A.M.	
03	Ambient Temperature	35.0 °C	
04	Dry Bulb Temperature	35.0 °C	
05	Wet Bulb Temperature	24.0 °C	
06	Relative Humidity	39.9 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	61.23 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	21.07 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	26.89 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.


Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.),
PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/786
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	11.02.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Bagass Yard	
02	Time of Sampling	10:50 A.M.	
03	Ambient Temperature	35.0 °C	
04	Dry Bulb Temperature	35.0 °C	
05	Wet Bulb Temperature	24.0 °C	
06	Relative Humidity	39.9 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	69.83 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	23.01 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	33.74 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/787
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	11.02.2020
Time :	11:10 A.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 1
02	Material of Stack	RCC
03	Stack Height from Ground Level	75 M
04	Type of Stack	Round
05	Flue Gas Temperature	169 ⁰ C (442 K)
06	Differential Pressure	2.50 mm Wg
07	Velocity	7.88 m/sec
08	Stack Diameter	4.73 m
09	Stack Area	17.5627 m ²
10	Gas Volume	269502.20 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	64.87 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	57.11 mg/Nm ³ 369.39 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/788
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	11.02.2020
Time :	12:45 P.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 2
02	Material of Stack	RCC
03	Stack Height from Ground Level	72 M
04	Type of Stack	Round
05	Flue Gas Temperature	172 °C (445 K)
06	Differential Pressure	3.70 mm Wg
07	Velocity	7.70 m/sec
08	Stack Diameter	3.00 m
09	Stack Area	7.0650 m ²
10	Gas Volume	131445.14 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	62.98 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	43.12 mg/Nm ³
		136.03 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

AMBIENT NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/789
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	11.02.2020.
Time:	02:30 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A)
01	Near Main Gate	63.2	75
02	Near ETP	68.4	75
03	Near Bagas Section	71.3	75
04	Near Sugar Godown	65.1	75
05	Near Cane Yard	74.7	75

Note:

- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.),
PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: FEBRUARY 18, 2020

WORKZONE NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/790
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	11.02.2020.
Time:	03:30 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A) (Refer Note Below)
01	Centrifugal Section	86.3	90
02	Turbine Section	84.8	90
03	Boiler Section	88.1	90
04	Mill Section	87.5	90
05	Pan Section	87.2	90

Note:

- The Factories' Act, 1948 has prescribed Noise Level threshold limit for 8 hours' exposure as 90 dB (A).


Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: FEBRUARY 18, 2020

EFFLUENT SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2019.20/791
Client:	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Location:	Effluent Treatment Plant.
Plant Condition:	ETP in Operation.
Date of Sampling:	11.02.2020.
Analysis Date:	12.02.2020.
Sample Name:	Industrial Effluent – Untreated & Treated

RESULTS

SR. NO.	TEST DESCRIPTION	UNTREATED	TREATED	MPCB LIMIT	UNIT
01	pH	3.74	7.63	6.5-8.5	--
02	Suspended Solids (SS)	624.50	21.90	100	mg/lit
03	Total Dissolved Solids (TDS)	1356.22	445.19	2100	mg/lit
04	Chemical Oxygen Demand (COD)	3438.16	77.40	250	mg/lit
05	Biochemical Oxygen Demand (BOD)	1619.57	16.10	100	mg/lit
06	Chlorides as Cl ⁻	325.14	132.34	600	mg/lit
07	Sulphates as SO ₄ ²⁻	215.73	125.20	1000	mg/lit
08	Oil & Grease	3.50	BDL	10	mg/lit

Note:

- BDL: Below Detectable Limit

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/907
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	04.03.2020


RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Main Gate	
02	Time of Sampling	10:15 A.M.	
03	Ambient Temperature	33.0 °C	
04	Dry Bulb Temperature	33.0 °C	
05	Wet Bulb Temperature	19.0 °C	
06	Relative Humidity	25.0 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	58.23 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	21.85 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	27.44 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

SP/115
2




Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/908
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	04.03.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near ETP	
02	Time of Sampling	10:25 A.M.	
03	Ambient Temperature	33.0 °C	
04	Dry Bulb Temperature	33.0 °C	
05	Wet Bulb Temperature	19.0 °C	
06	Relative Humidity	25.0 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	56.86 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	18.74 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	22.15 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.


Dr. Sandip Mangalekar
 (Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.),
PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/909
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	04.03.2020

RESULTS

SR.NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Bagass Yard	
02	Time of Sampling	10:40 A.M.	
03	Ambient Temperature	34.0 °C	
04	Dry Bulb Temperature	34.0 °C	
05	Wet Bulb Temperature	19.0 °C	
06	Relative Humidity	22.4 %	
07	Sampling Duration	60 Min.	
08	Particulate Matter (PM ₁₀)	65.21 µg/cum	100 µg/cum
09	Sulphur Dioxide (SO ₂)	22.05 µg/cum	80 µg/cum
10	Oxides of Nitrogen (NO _x)	28.19 µg/cum	80 µg/cum

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No.B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/910
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	04.03.2020
Time :	11:00 A.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 1
02	Material of Stack	RCC
03	Stack Height from Ground Level	75 M
04	Type of Stack	Round
05	Flue Gas Temperature	172 ⁰ C (445 K)
06	Differential Pressure	2.10 mm Wg
07	Velocity	5.80 m/sec
08	Stack Diameter	4.73 m
09	Stack Area	17.5627 m ²
10	Gas Volume	246168.85 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	59.23 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	52.05 mg/Nm ³
		307.51 Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.



Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/911
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Plant Condition :	In Operation.
Date of Sampling:	04.03.2020
Time :	12:30 P.M.

RESULTS


SR. NO.	TEST DESCRIPTION	READING
01	Location	Boiler Stack 2
02	Material of Stack	RCC
03	Stack Height from Ground Level	72 M
04	Type of Stack	Round
05	Flue Gas Temperature	180 °C (453 K)
06	Differential Pressure	3.20 mm Wg
07	Velocity	7.23 m/sec
08	Stack Diameter	3.00 m
09	Stack Area	7.0650 m ²
10	Gas Volume	121157.29 Nm ³ /Hr

FLUE GAS QUALITY

SR.NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	58.86 mg/Nm ³
02	Sulphur Dioxide (SO ₂)	40.71 mg/Nm ³
		118.38Kg /Day

Note:

- Maharashtra Pollution Control Board (MPCB) Limits - SPM: 150 mg / Ncum
- Maharashtra Pollution Control Board (MPCB) Limits - SO₂: As per Consent.


Dr. Sandip Mangalekar
 (Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

AMBIENT NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2019.20/912
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	04.03.2020.
Time:	01:45 P.M.

RESULTS

SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A)
01	Near Main Gate	62.3	75
02	Near ETP	65.8	75
03	Near Bagas Section	69.1	75
04	Near Sugar Godown	63.4	75
05	Near Cane Yard	72.5	75

Note:

- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time


Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, MOBILE: 9657865122
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com

DATE: MARCH 11, 2020

WORKZONE NOISE LEVEL MONITORING RESULTS


Report No.:	EEIPL/REP/2019.20/913
Client :	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site :	A/p.: Hupari, Dist.: Kolhapur.
Date of Sampling:	04.03.2020.
Time:	02:15 P.M.

RESULTS


SR. NO.	LOCATION	READINGS dB(A)	LIMIT dB(A) (Refer Note Below)
01	Centrifugal Section	84.3	90
02	Turbine Section	66.1	90
03	Boiler Section	87.7	90
04	Mill Section	85.5	90
05	Pan Section	88.2	90

Note:

- The Factories' Act, 1948 has prescribed Noise Level threshold limit for 8 hours' exposure as 90 dB (A).


Dr. Sandip Mangalekar
(Dy. Head Monitoring)

- ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS, CONSULTANTS AND ANALYSTS
- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION, OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231, TELEFAX : (0231) 2526337, MOBILE : (0) 9657865122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY, PANVEL - 410 206 (M.S.), MOBILE : +91 9822682822
- OFFICE NO. 67, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK, PUNE - 411 019 (M.S.), MOBILE : +91 9890160622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: MARCH 11, 2020

EFFLUENT SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2019.20/914
Client:	M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd.,
Site:	A/p.: Hupari, Dist.: Kolhapur.
Location:	Effluent Treatment Plant.
Plant Condition:	ETP in Operation.
Date of Sampling:	04.03.2020.
Analysis Date:	05.03.2020.
Sample Name:	Industrial Effluent – Untreated & Treated

RESULTS

SR. NO.	TEST DESCRIPTION	UNTREATED	TREATED	MPCB LIMIT	UNIT
01	pH	3.91	7.80	6.5-8.5	--
02	Suspended Solids (SS)	849.53	22.01	100	mg/lit
03	Total Dissolved Solids (TDS)	1558.70	556.30	2100	mg/lit
04	Chemical Oxygen Demand (COD)	3321.47	78.95	250	mg/lit
05	Biochemical Oxygen Demand (BOD)	1560.24	21.11	100	mg/lit
06	Chlorides as Cl ⁻	268.10	150.43	600	mg/lit
07	Sulphates as SO ₄ ²⁻	164.20	115.50	1000	mg/lit
08	Oil & Grease	4.11	BDL	10	mg/lit

Note:

- BDL: Below Detectable Limit


Dr. Sandip Mangalekar
 (Dy. Head Monitoring)


Annexure – VIII

Environment Management Cell

Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., Hupari

Shri Kallappaanna Awadenagar, Hupari-Yalgud 416 203,
Tal. Hatkanangale, Dist. Kolhapur (Maharashtra)

Environmental Management Cell



Annexure – IX

Acknowledgement of Compliance



Jawahar Sugar <kprjsssk@gmail.com>

Reg.Six monthly compliance report for the period of April 2019 to September 2019.

Jawahar Sugar <kprjsssk@gmail.com>


Tue, Nov 26, 2019 at 4:30 PM

To: ecompliance-mh@gov.in, mpcbmbombai@mpcb.gov.in, westzonepcb@yahoo.com, rokolhapur <rokolhapur@mpcb.gov.in>

--
Dear sir

Please Find Attachment for Six monthly compliance report for the period of April 2019 to September 2019 for sugar unit capacity 12000 TCD by Jawahar SSSK Ltd., Shri Kallappanna Awadenagr , Hupari-Yalgud, Tal.Hatkanangale, Dist.Kolhapur,Maharashtra State.

From,
Jawahar S.S.S.K. Ltd. Hupari
Shri Kallappanna Awadenagar,
Hupari-Yalgud, Tal. Hatkanangale ,
Dist.Kolhapur, Maharashtra State.

 **Final JSSSKL Six Monthly (6).pdf**
18982K

Annexure – X

**Acknowledgement Copies of Environmental
Statement Submission**



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

Environmental Audit Report for the financial Year ending the 31st March 2019

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000017017

Submitted Date

24-07-2019

Company Information**Company Name**

Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., Hupari

Application UAN number

0000074209

Address

Shri Kallappa Anna Awadenagar, Hupari-Yalgud, Tal- Hatkanangale, Dist- Kolhapur (Maharashtra), Pin-Code -416203.

Plot no

R.S.No. 315/7 to 315/15,925/9

Taluka

Hatkanangale

Village

Yalgud-Hupari

Capital Investment (In lakhs)

31070.79

Scale

L.S

City

Hupari

Pincode

416203

Person Name

Manohar Gopal Joshi

Designation

Managing Director

Telephone Number

(0230)2450402 to 5 lines

Fax Number

(0230)2450401

Email

kprjsssk@gmail.com

Region

SRO-Kolhapur

Industry Category

Red

Industry Type

R12 Sugar (excluding Khandsari)

Last Environmental statement submitted online

yes

Consent NumberFormat No.1.0/BO/CAC-CELL/UAN
No.0000048678/R/CAC-1906000937**Consent Issue Date**

19/06/2019

Consent Valid Upto

31/07/2019

Product Information

Product Name	Consent Quantity	Actual Quantity	UOM
Sugar	253310	229638	MT/A

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
Molassess	70080	76462.680	MT/A
Press Mud	70080	51573.960	MT/A
Bagasse	513433	497098.860	MT/A
Electricity Generation	28.5	22.68	Mwh

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	90	54

Cooling	41	33
Domestic	328	319
All others	00	00
Total	459	406

1) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Industrial	1200	644	CMD
Domestic	125	50	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Sugar	0.027	0.038	Ltr/A
Molassess	0.089	1.14	Ltr/A
Bagasse	0.12	0.18	Ltr/A
Pressmud	1.30	1.68	Ltr/A

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugar cane	7.873	7.678	Ton/Ton
Bagasse used as Fuel	1.307	1.159	Ton/Ton
Lime	0.0104	0.009	Ton/Ton
Ortho-phosporic Acid	0.0000135	0.000027	Ton/Ton
Sulphur	0.0022	0.0026	Ton/Ton
Caustic Soda	0.000029	0.000029	Ton/Ton
Oil	0.00022	0.00021	Ton/Ton
Grease	0.000063	0.000058	Ton/Ton

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	513433	266181.058	MT/A

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged (Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
COD	0.0000768	76.80	30.72	250	00
BOD	0.0000246	24.60	24.60	100	00
TSS	0.000054	54.0	54.00	100	00

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged (Mg/NM3)	Percentage of variation from prescribed standards with reasons
--------------------------	---	--	---

	Quantity	Concentration	%variation	Standard	Reason
TPM- Stack -1	581.04	79.02	52.68	150	00
TPM- Stack-2	204.13	72.80	48.53	150	00

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	1.834	1.681	MT/A
35.3 Chemical sludge from waste water treatment	0	307.63	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
35.3 Chemical sludge from waste water treatment	00	307.63	MT/A

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	4054.70	3944.00	MT/A
Kenkhar Lime	146	100	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	1.996	1.168	MT/A
35.3 Chemical sludge from waste water treatment	0	307.63	MT/A

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	1.168	MT/A	1.168
35.3 Chemical sludge from waste water treatment	307.63	MT/A	307.63

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Boiler Ash	3944.00	MT/A	3944.00
NA	0	MT/A	340.00

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
--	--	--	--	--	--	--

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Tree Plantation	Existing tree plantation done at factory site 62000 no. of trees. In that 61954 no. of trees are survival . We have done additional 5067 no.of tree plantation on factory site in this year. Total	21.12
Effluent Treatment Plant	Additional 15 days storage tank	40.00

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
--	--	--

Any other particulars in respect of environmental protection and abatement of pollution.

Particulars

A massive tree plantation has been done at factory site to minimise the frequency of air pollution. There are 62000 no. of trees are planted in and around the Karkhana area. In that 99 % of trees are good survival . This plantation contains dust , SO2, CO & CO2 tolerant plants. Which also helps in keeping micro climatic conditions ultimately clean Environment.

Name & Designation

M.G.Joshi, Managing Director

Annexure – XI

Copy of News Paper Advertisement

तरुण भारत

कोल्हापूर

www.tarunbharat.com

₹ ५.००

रविवार दि. २५ डिसेंबर २०१६

वेळगाव • गोवा

जवाहर शेतकरी सहकारी साखर कारखाना लि., हुपरी

श्री कल्लाप्पाणा आवाडेनगर, हुपरी- यळगुड- ४१६ २०३, ता. हातकणंगले, जि. कोल्हापूर, (महाराष्ट्र) फोन नं.- (०२३०) २४५०४०२ (५ लाईन्स)

फॅक्स नं.- (०२३०) २४५०४०१ / email : kprissk@gmail.com

जवाहर कारखान्यास एन्व्हीरॉनमेंटल क्लिअरन्स प्राप्त

जवाहर शेतकरी सहकारी साखर कारखाना लि., हुपरी या कारखान्याने प्रस्तुतच्या ऊस गाळप क्षमतेचे प्रतिदिन ७५०० मे. टनावरून प्रतिदिन १२००० मे. टनापर्यंत विस्तारीकरण करण्यास मंजूरी मिळण्यासाठी पर्यावरण, वने व जलवायू परिवर्तन मंत्रालय, भारत सरकार, नवी दिल्ली यांचेकडे प्रस्तुतवा सादर केलेला होता. त्यास अनुसरून भारत सरकारचे पर्यावरण मंत्रालयकडून कारखान्यास F.No.- 11011/38/2016 - IA-II(I), दिनांक २० डिसेंबर २०१६ अन्वये एन्व्हीरॉनमेंटल क्लिअरन्स मिळालेला आहे. सादरचा एन्व्हीरॉनमेंटल क्लिअरन्स महाराष्ट्र प्रदुषण नियंत्रण मंडळ/ समिती आणि पर्यावरण मंत्रालयाचे वेबसाईट <http://moef.nic.in> वर पाहण्यासाठी उपलब्ध आहे. प्रसिद्धीकरिता जाहीर नोटीस.

ग्रामपंचायत खाटांगळे, ता. करवीर, जि. कोल्हापूर जाहीर ई-निविदा सूचना क्र. ०१-२०१६/१७

मौजे ग्रामपंचायत खाटांगळे, ता. करवीर कडील कामाची जाहीर ई-निविदा सूचना क्र. ०१/२०१६-१७ <https://mahatenders.gov.in> या संकेत स्थळावर दि. २३/१२/२०१६ दुपारी ०१.०० वाजलेपासून प्रसिद्ध करणेत आली आहे. निविदा भरण्याची व डाऊनलोड करण्याची शेवटची दि. २९/१२/२०१६ सायं. ०४.०० वाजेपर्यंत व निविदा ओपन दि. ३०/१२/२०१६ ला सायं. ०४.०० नंतर करण्यात येईल.

Sr. No	Name of Work	Amount put to Tender	Tender Form Cost	E.M.D (1%)	Class of Contractor
1	Construction of Cement Concrete Road and Laying Paving Block In Dalit Vasti (Harijan Vasti) At. Khatangale, Taluka. Karveer, Dist. Kolhapur (Dalit Vasti Sudhar Yojana 2016-2017)	399971.00	1000.00	4000.00	VII- And Above

सादर कामाची विस्तृत जाहीर निविदा सूचना <https://mahatenders.gov.in> या संकेत स्थळावर उपलब्ध आहे.

सरपंच

Shree Sadguru Balumama Charitable Trust

Metage, Tal-Kagal, Dist-Kolhapur

TENDER

Tender For Branded CCTV System For Shree Sadguru Balumama Charitable Trust. Requirement

HD System

THE TIMES OF INDIA

EPAPER.TIMESOFINDIA.COM

JAWAHAR SHETKARI SAHAKARI SAKHAR KARKHANA LTD., HUPARI

Shri Kallappanna Awadenagar, Hupari-Yalgud 416203, Tal.Hatkanangale, Dist.Kolhapur Phone (0230) 2450402 (5 Lines), Fax (0230) 2450401, email: kprjsssk@gmail.com

Jawahar Sugar factory Hupari has granted the Environmental Clearance

It is for the information of all concerned that, M/s. Jawahar Shetkari Sahakari Sakhar Karkhana Ltd., Hupari Shri Kallappanna Awade Nagar, Hupari- Yalgud, Tal- Hatkanangale, Dist- Kolhapur has submitted the proposal of proposed expansion of 7500 TCD to 12000 TCD capacity for obtaining the Environmental Clearance from Ministry of Environment, Forest and Climate Change Govt of India, New Delhi Accordingly, Ministry of Environment, Forest and Climate Change Govt. of India has granted the Environmental Clearance for expansion of our sugar unit 7500 TCD to 12000 TCD. Vide their letter F.No.J-11011/38/2016-IA-II (I) Dated 20th December, 2016. A copy of said clearance letter is available with State Pollution Control Board Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>.

PUBLIC NOTICE

NOTICE is hereby given that the undermentioned persons are the owners of their respective properties more particularly described in the schedule hereunder as shown hereunder against their respective names.

The said owners have agreed to sell/transfer the schedule property to my clients and they have further assured to my clients that the schedule property is free from all encumbrances and/or defects in title.

Any person/s having any claims by way of sale, mortgage, pre-emption, lease, lien, gift, easement, exchange, possession, inheritance, succession or otherwise howsoever in respect of the same are required to intimate the same in writing to the undersigned together with proof thereof within 14 days of publication of this notice failing which my clients shall complete the sale/transaction and all such claims, if any, shall be deemed to have been waived and/or abandoned with notice.

THE SCHEDULE ABOVE REFERRED TO:

ALL THAT PIECE AND PARCEL OF AGRICULTURAL LAND bearing Gat No. 139/1,

Area in Hectare - Ares	Total Area Hectare - Ares	Name of the Owners
04 - 94 (inclusive Potkharaba of 01 Hectare 52 Ares)	15 - 64	Amey Dinkar Savekar
04 - 95 (inclusive Potkharaba of 01 Hectare 52 Ares)	15 - 64	Ranjana Dinkar Savekar

collectively admeasuring 09 Hectares 89 Ares, situated at Village Kondegavhan, within the limits of Grampanchayat Kondegavhan, Taluka Panchayat Samiti Shrigonda, District Ahmednagar and collectively bounded as under:

ON OR TOWARDS THE:

NORTH : Land belonging to Mr. Rajaram Shirke
 SOUTH : Gat No. 118
 EAST : Land belonging to Mrs. Sangita Madake
 WEST : Gat No. 138, 137, 136, 134, 135, 132 & 126

This Notice dated this 23rd day of December, 2016.

SHRI KALLAPPA AWADENAGAR

of
io
9
Op
sad
e -
tient
ism &
rom
Al, M
For
ey Co
1st F
rabh
H: 02